




DUX 30

ASSEMBLY INSTRUCTIONS



www.dux.com

LEG HARDWARE




Please note: Legs are sold in packs of 4 or individually and will be shipped with a wooden spacer. This spacer is used on DUX 10 and DUX 30 beds. For all other beds, this can be discarded responsibly.

All packs of 4 legs are supplied with a Support Leg. This is only required for beds over 140cm wide.

Thread height 30mm for the Support Legs and 50mm for Main Legs.

If +140cm wide then an extra Support Leg is required.

SUPPORT LEG HARDWARE



ASSEMBLING LEGS

Support Leg is only applicable for beds over 140cm.

1. WOODEN SPACER, WASHER AND FELT PAD

Add the washer to the top of the leg and the felt pad to the bottom.

Add the wooden spacer and the washer to the top of the leg over the threaded bar.

Take off the adhesive cover on the felt pad and place at the base of the leg.



2. MOUNT THE LEGS

For one piece beds, turn the bed over or place on its side.


Mount the legs with the wooden spacer and washer on the four corners of the wooden frame.

For beds over 140cm mount the support leg (s) in the centre of the bed along with the washer, the support leg does not require a wooden spacer.

To tighten legs turn the legs clockwise.



ASSEMBLING A DUAL (SPLIT) MATTRESS BED




1. ASSEMBLE LEGS ON BOTH BASES

Assemble the legs as per the previous page to all 4 corners on both bases.

2. PLACE THE BASES


Place each side of the bed close together.

Connecting plate



3. CONNECTING PLATES

When connecting 2 bed bases together, it may be required to use Connecting plates. These stop the bases from sliding apart.





4. CONNECTING PLATES

Slightly unscrew the 2 middle legs a few mm (front and rear) and slide the connecting plate underneath. Tighten the legs again to secure the Connecting plate.

5. ENSURE BASES ARE SECURE

Ensure bases are next to each other or securely connected with connecting plates to complete the assembly.






6. OPEN THE BED


Open the bed and fold the top over.

DUX PASCAL SYSTEM



The Pascal System consists of three or six interchangeable spring cassettes of varying densities and tension. Designed to provide three support zones – shoulders, hips, legs – each cassette is selected to match your body size and weight for individually customised comfort.

CONFIGURE PASCAL SYSTEM



7. ARRANGE THE CASSETTES

Arrange the cassettes according to your preference and place them in the Pascal Bag on each side of the bed.

Common configurations:

FOR BROADER SHOULDERS


Set Pascal to soft at the head, medium in the middle and firm at the feet.

FOR WIDER HIPS

Set Pascal to medium at the head, soft in the middle and firm at the feet.


8. FOLD THE TOP BACK OVER

Fold the top back over and zip the bed closed.



9. TOP PAD

Remove the Top Pad from the packaging. Place on top of the bed ensuring the zip is at the head end of the bed.





www.dux.com